


# Eurovario

connect - tighten - finished!



# Easy and fast

connect – tighten – finished!



picture 1: integrated endcover | picture 2: protection covers for unused lugs | picture 3: application with connection terminal | picture 4: Interconnection of several eurovario busbars

The Eurovario-System is most effective and time-saving concerning the assembly. There's no more time-consuming sawing, burring, cleaning or mounting endcaps as the System is ready-for-use.

The Eurovario busbars are convenient for prolonging (4). Via overlapping or even a doubled assembly a cross section twice as high can be reached at the interface or even the whole busbar.

With the new design, a stronger design of 25mm<sup>2</sup> you can reach cross section up to 50mm<sup>2</sup>.

- variable applicable
- small design
- in 10, 16 und 25 mm<sup>2</sup>
- pin- und fork configuration
- huge range of variety
- no sawing
- integrated endcovers
- ca. 30% time saving

An extract from our range.

Eurovario 10mm <sup>2</sup>	Eurovario 16mm <sup>2</sup>	Eurovario 25mm <sup>2</sup>	no. of phases	type	no. of lugs	length
ES 10610	ES 10616	ES 10625	1	fork	06	105mm
ES 11210	ES 11216	ES 11225		fork	12	212mm
ES S10610	ES S10616	ES S10625		pin	06	105mm
ES S11210	ES S11216	ES S11225		pin	12	212mm
ES 1FI7LS	ES 1FI7LS16	ES 1FI7LS25		fork	08	160mm
ES S1FI7LS	ES S 1FI7LS16	ES S 1FI7LS25		pin	08	160mm
ES 20610	ES 20616	ES 20625	2	fork	06	105mm
ES 21210	ES 21216	ES 21225		fork	12	212mm
ES S20610	ES S20616	ES S20625		pin	06	105mm
ES S21210	ES S21216	ES S21225		pin	12	212mm
ES G20610H2p	ES G20616H2p	ES G20625H2p		fork	06	160mm
ES S20610H2p	ES S20616H2p	ES S20625H2p		pin	06	160mm
ES 30610	ES 30616	ES 30625	3	fork	06	105mm
ES 30910	ES 30916	ES 30925		fork	09	160mm
ES 31210	ES 31216	ES 31225		fork	12	212mm
ES S30610	ES S30616	ES S30625		pin	06	105mm
ES S30910	ES S30916	ES S30925		pin	09	160mm
ES S31210	ES S31216	ES S31225		pin	12	212mm
ES FI5LS So	ES FI5LS16 So	ES FI5LS25 So		fork	08	160mm
ES SFI5LS So	ES SFI5LS16 So	ES SFI5LS25 So		pin	08	160mm
ES 40810	ES 40816	ES 40825	4	fork	08	140mm
ES 41210	ES 41216	ES 41225		fork	12	212mm
ES S40810	ES S40816	ES S40825		pin	08	140mm
ES S41210	ES S41216	ES S41225		pin	12	212mm
ES 40810FI/LS	ES 40816FI/LS	ES 40825FI/LS		fork	08	140mm
ES S40810FI/LS	ES S40816FI/LS	ES S40825FI/LS		pin	08	140mm

## Terminals

article-no.	Design	Ø single-/multi wire   I <sub>n</sub>	Ø fine wire with sleeve   I <sub>n</sub>	U <sub>n</sub>	package qty.
802/114i	Gabel	6-25mm <sup>2</sup>   100A	4-16mm <sup>2</sup>   80A	690V	25
802/114Qi	Gabel	6-25mm <sup>2</sup>   100A	4-16mm <sup>2</sup>   80A		25
802/115Si	Steg	6-25mm <sup>2</sup>   100A	4-16mm <sup>2</sup>   80A		25
802/115SQi	Steg	6-25mm <sup>2</sup>   100A	4-16mm <sup>2</sup>   80A		25
802/2ESB50	Gabel oder Steg	6-50mm <sup>2</sup>   160A	6-35mm <sup>2</sup>   125A		25

## Contact protection for unused lugs

article-no.	description	package qty.
BRL 5	protection covers are separated individually for 5 TE	10

Eurovario-systems are available in numerous designs. Discover with us individually identifiable lengths and spacing units for the cross-sections 10, 16 and 25mm<sup>2</sup>. Of course, the appropriate terminals and protection covers, are available as an accessory.

FTG - Friedrich Göhringer Elektrotechnik GmbH  
Gerwigstr. 8  
DE-78098 Triberg  
Germany  
Tel.: +49 (0) 7722 96 36 0  
Fax: +49 (0) 7722 96 36 36  
[www.ftg-germany.de](http://www.ftg-germany.de)